



Correction: Royal jelly attenuates gastric mucosal injury in a rat ethanol-induced gastric injury model

Yasin Duran¹ · İhsan Karaboğa² · Fatin Rüştü Polat² · Elif Polat³ · Zeynep Fidanol Erboğa³ · Mehmet Akif Ovalı⁴ · Rahime Özlem Öztöpez⁵ · Aliye Çelikkol⁶ · Ahsen Yılmaz⁶

Published online: 31 May 2024
© Springer Nature B.V. 2024

Correction: Molecular Biology Reports (2020) 47:8867–8879
<https://doi.org/10.1007/s11033-020-05939-w>

In this article the wrong figures appeared as Fig. 1 and 5.; the figures should have appeared as shown below.

Incorrect figures:




Fig. 1 Effect of RJ and Lansoprazole on the gastric ulcer index in the rat ethanol-induced gastric ulcer model. (a) Control, (b) Ethanol, (c) RJ + Ethanol, (d) Lansoprazole + Ethanol, (e) distribution of gastric ulcer index scores of groups, * $p < 0.01$ compared to the Control group, ** $p < 0.001$ compared to the Ethanol group)

The online version of the original article can be found at <https://doi.org/10.1007/s11033-020-05939-w>.

✉ İhsan Karaboğa
ihsankaraboga@gmail.com; ikaraboga@nku.edu.tr

- ¹ Tekirdağ Namık Kemal University, Faculty of Medicine, Department of General Surgery, Tekirdağ, Turkey
- ² Tekirdağ Namık Kemal University, School of Health, Department of Emergency and Disaster Management, Tekirdağ, Turkey
- ³ Tekirdağ Namık Kemal University, Faculty of Medicine, Department of Histology and Embryology, Tekirdağ, Turkey
- ⁴ Çanakkale Onsekiz Mart University, Faculty of Medicine, Department of Physiology, Çanakkale, Turkey
- ⁵ Çanakkale Onsekiz Mart University, Faculty of Medicine, Department of Biophysics, Çanakkale, Turkey
- ⁶ Tekirdağ Namık Kemal University, Faculty of Medicine, Department of Medical Biochemistry, Tekirdağ, Turkey




Fig. 5 TUNEL staining (**a** Control, **b** Ethanol, **c** Royal Jelly + Ethanol, **d** Lansoprazole + Ethanol **e** distribution of TUNEL-positive cell numbers of groups, * $p < 0.001$ compared to the Control group, ** $p < 0.001$ compared to the Ethanol group; arrows = TUNEL-positive cells, contrast staining; Mayer's hematoxylin, magnification = 200X)

Correct figures:




Fig. 1 Effect of RJ and Lansoprazole on the gastric ulcer index in the rat ethanol-induced gastric ulcer model. (**a** Control, **b** Ethanol, **c** RJ + Ethanol, **d** Lansoprazole + Ethanol, **e** distribution of gastric ulcer index scores of groups, * $p < 0.01$ compared to the Control group, ** $p < 0.001$ compared to the Ethanol group)




Fig. 5 TUNEL staining (**a** Control, **b** Ethanol, **c** Royal Jelly + Ethanol, **d** Lansoprazole + Ethanol **e** distribution of TUNEL-positive cell numbers of groups, * $p < 0.001$ compared to the Control group, ** $p < 0.001$ compared to the Ethanol group; arrows = TUNEL-positive cells, contrast staining; Mayer's hematoxylin, magnification = 200X)